

PromateX

Intelligent Toilet Line

DN

WALL-HUNG TOILET

Optimize layout

Rational use of space, orderly, clean and bright, and have a good mood.




SWS001 Intelligent Product Series

Colour: White
Size: 590x380x400mm
P-trap: 180mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign: IPX4

Optional: Internal Cistern or External Cistern



Wall mounting type



Mobile air drying




Internal Cistern



External Cistern

Drawing:



SWS002 Intelligent Product Series

Colour: White
Size: 590x380x400mm
P-trap: 180mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign: IPX4

Optional: Internal Cistern or External Cistern



Wall mounting type



Mobile air drying




Internal Cistern



External Cistern

Drawing:



CE

SWS003 Intelligent Product Series

Colour: White
Size: 590x380x370mm
P-trap: 180mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign: IPX4

Optional: Internal Cistern or External Cistern



Wall mounting type



Automatic opening




Internal Cistern



External Cistern

Drawing:



CE

SWS004 Intelligent Product Series

Colour: White
Size: 550x380x340mm
P-trap: 180mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign: IPX4

Optional: Internal Cistern or External Cistern



Wall mounting type



No water pressure limit




Internal Cistern



External Cistern

Drawing:



TRENDSETTING VANGUARD

Auto Cover open

Approaching the automatic flip cover, you can automatically flush the water after you get up and leave the seat, so as to reduce bacterial contact.

- Spray bar atomization water washing
- Silent flushing system
- Mechanical flushing



LAS VEGAS LIGHT S1032



As if the sound of music gently lingers around you, giving you a baptism of body and mind. Let you fully experience the charm of music while taking a bath, relax your body and mind, and regain vitality.



S1032 Intelligent Product Series

Colour: White
 Size: 680x380x460mm
 S-trap: 300mm
 Rating: AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign: IPX4



Sound sensitive light screen


With the music presenting a dynamic light and shadow interface



Music toilet with two speakers

Stereo surround sound, immersive atmosphere, making toileting more comfortable

Drawing:



S1030 Intelligent Product Series

Colour: White
 Size: 725x390x630mm
 S-trap: 300mm
 Rating: AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign: IPX4



Atmosphere lighting


Exquisite ambient light strips bring a perfect fusion of technology and comfort to your bathroom



Water saving and silent


Quietly without rest, Simultaneously precise control of water flow to achieve efficient water conservation

Drawing:



S1031 Intelligent Product Series

Colour: White
 Size: 720x400x600mm
 S-trap: 300mm
 Rating: AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign: IPX4



Colorful and Soft Atmosphere Light


Create a bathroom atmosphere that is both aesthetically pleasing and practical



3D curved seat ring

Fit the curve of the buttocks, providing a comfortable sitting experience

Drawing:



MS1001 Intelligent Product Series

Colour: White
 Size: 500x380x430mm
 P-trap: 180mm
 S-trap: 300mm
 Rating: AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign: IPX4



Rear handle design


Comfortable grip, adjustable usage position according to needs, beautiful and convenient.



Warm air fast drying

Say goodbye to paper towel friction, quickly remove residual moisture, and efficiently dry without time consumption.

Drawing:



COMFORT

Experience the pinnacle of comfort in life
Every encounter deepens your understanding
of true ease



S1027 Intelligent Product Series

Colour: White
Size: 700x405x445mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)




**Spray bar UV
sterilization**
Guarding the private
hygiene defense line,
experiencing safer and
more comfortable



Seat heating
Every second of use is
a pleasure,
four levels of seat
temperature regulation

Drawing:



S1026 Intelligent Product Series

Colour: White
Size: 705x420x445mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4




Seat heating
Every second of use is
a pleasure,
four levels of seat
temperature regulation



**Spray bar UV
sterilization**
Guarding the private
hygiene defense line,
experiencing safer and
more comfortable

Drawing:




S1029 Intelligent Product Series

Colour: White
Size: 685x395x480mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4




**Soft Atmosphere
Light**
The perfect fusion of
technology and comfort
ensures that your
nighttime toileting is not
monotonous.



**Aromatherapy
purification**
After completing air
filtration, a faint aroma
is released to purify
the air.

Drawing:



S1028 Intelligent Product Series

Colour: White
Size: 700x385x445mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4




**No water pressure
restrictions**
Built in large capacity
water tank,
even high-rise buildings
can be used with
confidence



Rotate button
Simple and beautiful
design,
Simple and easy to
understand, easier to
operate

Drawing:



THE REALM OF TRANQUILITY S1030

Explore the tranquil realm and enjoy the peace of home.
Every flush is no longer a disturbance of noise, only you have a
conversation with freshness.



S1034

Intelligent Product Series

Colour: White
Size: 700x400x460mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4



Water purification with built-in water filter element


Built in antibacterial water filter with micron sized Pp cotton, ensuring every drop of water is clean and clear



Detachable nozzle Cleaning is more comfortable

The nozzle of the spray wand can be removed and cleaned without worrying about cross-infection after use

Drawing:



S1033

Intelligent Product Series

Colour: White
Size: 680x390x460mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4



No water pressure restrictions


Built in large capacity water tank, even high-rise buildings can be used with confidence



Foot sensing

When people approach the toilet, the lid will automatically open and the seat will open through foot sensing.

Drawing:



S1025

Intelligent Product Series

Colour: White
Size: 590x380x468mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4



glittering and overflowing with colors


The pursuit of light ambience lights such as countless shining diamonds converge.



Toilet seat heating Warm contact

Skin-friendly in summer, warm in winter. Multiple gear seat temperature can be adjusted.

Drawing:



S1024

Intelligent Product Series

Colour: White
Size: 590x380x468mm
P-trap: 180mm
S-trap: 300mm
Rating: AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) -
0.75MPa(static pressure)
Protection sign: IPX4



Spray bar UV sterilization


Guarding the private hygiene defense line, experiencing safer and more comfortable



Lipless design on the inner wall

Prevent dirt accumulation, wash without obstacles, and gently wipe to make it cleaner.

Drawing:





S1001

Intelligent Product Series


Colour:White
 Size:684x407x462mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Foot sensing
 When people approach the toilet,the cover will be automatically open , and the seat will be open by foot sensing. You can switch the cover opening mode to foot sensing.



LED display
 LED display Displays the running status of each function.



S1016

Intelligent Product Series


Colour:White
 Size:700x395x470mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Plasma Sterilization
 It blows out of the air duct and fills the toilet, physical sterilization without radiation hazards.



Seasonal temperature sensation
 Automatic adjustment of the seat/water/air drying temperature according to the bathroom temperature.



S1013

Intelligent Product Series


Colour:White
 Size:695x490x540mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



LED display
 LED display Displays the running status of each function.



Menstrual Care
 Longer cleaning time, more comfortable outlet temperature.Care for women's health



S1017

Intelligent Product Series


Colour:White
 Size:700x420x480mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Break down odor Clean the air
 Activated carbon traps odors Switch to fresh air and then release purified Air fresh and free



Ambient light
 Pulsating colors and delicate ambience light belts Bring the perfect blend of technology and comfort to your bathroom



S1014

Intelligent Product Series


Colour:White
 Size:600x500x550mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Automatic opening
 Automatic sensing clamshell when human body is near No need to bend over and get your hands dirty



Mobile air drying
 The range of drying is larger,the air outlet is closer to the hip Accurate lift, heat concentration.



S1018

Intelligent Product Series


Colour:White
 Size:690x430x465mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Mobile air drying
 The range of drying is larger,the air outlet is closer to the hip Accurate lift, heat concentration.



Detachable nozzle
 The nozzle of the spray wand can be removed and replaced for easy cleaning



S1015

Intelligent Product Series


Colour:White
 Size:675x400x445mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Foot sensing
 When people approach the toilet,the cover will be automatically open , and the seat will be open by foot sensing. You can switch the cover opening mode to foot sensing.



LED display
 LED display Displays the running status of each function.



S1019

Intelligent Product Series


Colour:White
 Size:720x455x510mm
 S-trap:300mm
 Rating:AC 110V/220V; 50Hz/60Hz
 Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
 Protection sign:IPX4



Automatic opening
 Automatic sensing clamshell when human body is near No need to bend over and get your hands dirty



Ultraviolet sterilization
 Ultraviolet light produces ozone through the ionization of oxygen in the air to strengthen the bactericidal effect.





S1020
Intelligent Product Series


Colour:White
Size:685x400x474mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



Side button
Simple and easy the elderly and children can also easily use multiple modes.



LED display
LED display Displays the running status of each function.



S1011
Intelligent Product Series


Colour:White
Size:700x390x440mm
P-trap:180mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



Ultraviolet sterilization
Ultraviolet light produces ozone through the ionization of oxygen in the air to strengthen the bactericidal effect.



Foot sensing
When people approach the toilet, the cover will be automatically open, and the seat will be open by foot sensing. You can switch the cover opening mode to foot sensing.



S1021
Intelligent Product Series


Colour:White
Size:685x400x475mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



LED display
LED display Displays the running status of each function.



Multi functional knob
Intelligent multi functional knob, more convenient and faster.



S1012
Intelligent Product Series


Colour:White
Size:684x407x462mm
P-trap:180mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



Refreshing and skin friendly water wash
Water flows densely onto the skin, as if you are experiencing a spa massage.



New generation disinfection nozzle
UV spray bar disinfection, automatic UV disinfection when the lid is closed, to avoid bacterial growth and cross infection.



S1022
Intelligent Product Series


Colour:White
Size:700x470x510mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



Mobile air drying
The range of drying is lager, the air outlet is closer to the hip Accurate lift, heat concentration.



Menstrual Care
Longer cleaning time, more comfortable outlet temperature.Care for women's health



S1023
Intelligent Product Series


Colour:White
Size:550x380x430mm
S-trap:300mm
Rating:AC 110V/220V; 50Hz/60Hz
Water pressure: 0.08MPa(dynamic) - 0.75MPa(static pressure)
Protection sign:IPX4



Automatic opening
Automatic sensing clamshell when human body is near No need to bend over and get your hands dirty



No water pressure limit
Built-in water tank with booster pump which allows powerful flushing any time any where. install the intelligent toilet.



FUNDAMENTAL FUNCTION

- | | | | | |
|-------------------------|-------------------------|----------------------|-----------------------|---------------------------|
| Flush away from | Female cleaning | Night light lighting | Hip cleaning | Ultraviolet sterilization |
| Remote control flushing | Mobile cleaning | Power saving mode | Tube level adjustment | Power failure and |
| Convenient buttons | One click cleaning | Waterproof remote | Water temperature | Automatic flip |
| LED display | Water pressure | Seat temperature | Nozzle self-cleaning | Automatic loop turning |
| Water filtration | Live water is hot | Warm air drying | Leakage protection | Foot feel loop |
| Slow damping | Seat ring antibacterial | Adjustable wind | IPX4 waterproof | Foot feel flap |
| Wind temperature | Seating induction | Foot feel flush | Cold and hot massage | Automatic capping |
| Low temperature scald | Defecation cleaning | | | |